# R2012 JUGS Pro-Sports Radar Gun Interface Cable Wiring Diagram

Alzatex, Inc. 6400 SW 213th Ave Aloha, OR 97007 www.alzatex.com terryl@alzatex.com 503 642-9693

Hard Wired connection to connect the R2000 radar gun to the R2020 display.

Cable replacement for Stalker 155-2289-00 Cable

Designed by Terry Lang

Cable Specifications: Length: 30 feet

Type: 4 cond, 22GA, stranded, CM/CL2

Color: Blue

### Connectors:

P1 - DB-9 male connector with metalized plastic housing with thumb screws. Norcomp 171-009-102-001

P2 - DB-9 female connector with metalized plastic housing with thumb screws. Norcomp 171-009-202-001

Metalized ABS plastic Housing with thumb screws Norcomp 993-009-020-121




### **DB9-MALE**

2 - Green (RD)

3 - Yellow (TD)

5 - Black (Gnd)

9 - Red (+12V)



30 Feet

10 Inch





Connect 1N4004 diode in series with the center pin of the power connector.

- Cover in heat shrink when done.

Kit Label:

### R2012-KIT Radar Gun Cable Kit

JUGS Pro-Sports Radar Gun Interface Cable to connect the R2000 radar gun to the R2020 display.

### Kit includes:

- 1 R2012 Cable
- 1 Power Supply, 15VDC, 1.6A





R2000 radar gun shown with the R2012 Cable.



### **DB-9-FEMALE**

1 -	1 - N/C
2 - Green (RD)	2 - RD
3 - Yellow (TD)	3 - TD
4 -	4 - DSR
5 - Black (Gnd)	5 - SG
6 -	6 - N/C
7	7 DTC

Yellow or White

8 - CTS 9 - Red (+12V) 9 - +12V

Cable Label:

## R2012 Radar Gun Cable

JUGS Pro-Sports Radar Gun Interface Cable to connect the R2000 radar gun to the R2020 display.



# R2012 JUGS Pro-Sports Radar Gun Interface Cable Wiring Diagram

Alzatex, Inc. 6400 SW 213th Ave Aloha, OR 97007 www.alzatex.com terryl@alzatex.com 503 642-9693 Power Supply for the R2012-KIT

Designed by Terry Lang



Use with 12VDC or 15VDC power supply Current rating 1.5A or more.

Models: Triad WSU150-1600 Concon TR25150-A-11A03 or equivalent

Power Supply Replacement for Stalker part numbers. 015-0194-00 Switching Power Supply 12.0 VDC @ 2A for platform chargers. 015-0191-00 US Blade Set, 015-0192-00 Int'l Blade Set

### Kit Label:

## R2012-KIT Radar Gun Cable Kit

JUGS Pro-Sports Radar Gun Interface Cable to connect the R2000 radar gun to the R2020 display.

### Kit includes:

- 1 R2012 Cable
- 1 Power Supply, 15VDC, 1.6A

# R2012 JUGS Pro-Sports Radar Gun Interface Cable Wiring Diagram

Alzatex, Inc. 6400 SW 213th Ave Aloha, OR 97007 www.alzatex.com terryl@alzatex.com 503 642-9693

Designed by Terry Lang

Cable Specifications: Length: 6 feet Type: 8 cond, CAT-5

Hard Wired connection to connect the R2000 radar gun to the KP219 JS wireless interface.

NOTE: To power the radar gun from the KP219\_JS, an external 12V supply must be connected to the KP219\_JS power input. The internal batteries of the KP219\_JS are not connected to the RX422 port and are too small to power the gun in any case.

### Connectors:

P1 - DB-9 male connector with metalized plastic housing with thumb screws. Norcomp 171-009-102-001

Metalized ABS plastic Housing with thumb screws Norcomp 993-009-020-121



### DB9-MALE

2 - (RD)

3 - (TD)

4 -

5 - (Gnd)

